

CaVap Eco 10



CE10 10m TYPE










CaVap Eco 10





CaVap Eco 10 is an ecological barrier to air and vapour that has been specifically developed for all insulation constructions which are open to diffusion. The vapour barrier consists of an innovative, multi-layer composite material made from soda kraft paper with anti-tear, grid reinforcement. The product is especially suited to regulating moisture in the wall areas of timber-framed buildings or in ready-built construction elements. This vapour barrier should not be permanently exposed to moisture.

When working with the material it is necessary to observe the applicable standards, the generally recognized rules of manufacturers as well as the CaPlast laying information. Subject to technical modifications.

Phone: +49 25 99 / 913-0

+49 25 99 / 913-33

Fax:

Roof a	and wall constructions
Ventila	ated and unventilated systems
Timbe	r-framed building styles
Suitab	le for blown insulation
BENE	FITS
Ecolo	
Ecolos Good	gical

TECHNICAL DATA	
Weight (g/m²)	200 ± 10%
Building material	Е
s _d -value (m)	10 ± 2
Tear resistance L/T (N/5 cm)	430/330
Elongation L/T (%)	
Nail tear resistance L/T (N)	55/50
Roll width/Roll length (m)	1.35/50 2.70/50

e-mail: info@caplast.de

www.caplast.de

7 V C V C O C I